again on all your beauty

The First & only White PDO, Da:all

<u>Innova</u>tive

Creative

Upgraded

Differentiated

The only white PDO thread in Korea, Da:all


Please pay attention to the new brand value of Da:all with different dimension, differentiated technology, bold R&D investment and enthusiasm for the best.




- ●The only white PDO in Korea that distinguishes itself from other brands in violet color
- Transparent and undyed white PDO that is invisible under the skin
- Optimized for the thin layers of skin on the nose, forehead and lower eyelid of various races

The Advantages of Premium Molding

Because Molding Cog does not undergo thermal processing it can maintain the decomposition characteristics of PDO Mono and a constant shape without thermal denaturation. That's why it can maintain pulling force and durability for a long time. In addition, no burr remains after processing and it maintains the constant shape. And also, the Molding Cog's end part is processed so that it does not cause pain after the treatment.



Specification of Premium Molding



Da:all Premium Molding

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
	CW18100-W3417	Blunt(W)	18G	100mm	3&4	170
	CA18100-W3420	Blunt(A)	18G	100mm	3&4	200
	CA18100-W3417	Blunt(A)	18G	100mm	3&4	170
Da:all	CA19100-W0120	Blunt(A)	19G	100mm	1	200
Premium Molding	CA19100-W0116	Blunt(A)	19G	100mm	1	160
	ZA18100-W3420	Blunt(A)	18G	100mm		200
	ZA18100-W3417	Blunt(A)	18G	18G 100mm 3&4		170
	ZA19100-W0020	Blunt(A)	19G	100mm		200
	ZA19100-W0016	Blunt(A)	19G	100mm		160




The Advantages of Premium Molding Emboss


Premium Molding Emboss has barbed wire shape with great fixation power. It makes great combination with other Da:all product such as Premium molding. Besides, It is easy to use because it does not cause dimple. Premium Molding Emboss' end part is processed so that it does not cause pain after the treatment







Specification of Premium Molding Emboss



Da:all Premium Molding Emboss

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
Da:all Premium	KA19100-W0118			100mm		180
Emboss	KA19100-W0116			100mm		160
	KL18100-W3418	Blunt(L)	18G	100mm	3&4	180
	KL19100-W0118	Blunt(L)	19G	100mm	1	180



The Advantages of Spiral Cobra

Slice cutting has the disadvantage that the pulling force does not last for a long time due to the thinned core on the cutting surface, while




Cobra Cog applies the patented double-cut technology of META-BIOMED in order to maximize pulling force to ensure long lasting after the treatment. It has a long lasting effect after treatment because the cog shape is less deformed than the other cogs made by the slice cutting. It can also maximize pulling force on a wider tissue due to the adoption of 360 degree spiral cog.





Specification of Spiral Cobra



Da:all Spiral Cobra


Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
	PAW19100-W0020	Blunt(w)	19G	100mm	0	200
Da:all	PAA19100-W0020		19G	100mm	0	200
Spiral Cobra						200
						140



The Advantages of Spiral Double Arm


The double-arm needle is manufactured to make the attaching surface of the needle and the thread smooth compared to that of other brands which can minimize the damage of skin and tissue during the treatment. And, it adopts 360 degree Spiral Cobra Cog to maximize the convenience of the operation, pulling force and durability.







Specification of Spiral Double arm



Da:all Spiral Double arm

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
	AD11B00-W172	Blunt	21G 110mm		0	480
	AD11B00-W92					300
	AD08B00-W72		21G			240
Da:all Spiral	AD16S00-W172					
Double arm	AD11S00-W172		21G			480
						300
	AD08S00-W72					




The Advantages of Braid




Another innovative product with META-BIOMED's differentiated technology, Braiding is a new type of thread made of twisted threads. The tiny spaces between the twisted threads can be secured during the treatment, functioning as an advantage that the generation of collagen is activated in the spaces. There are various utilization specifications for scaffold(support) and volume.(tissue restoration)





Specification of Braid



Da:all Braid

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
	P8B1950L-W5070	Blunt(L)	19G	50mm	5/0 x 8	70
Da:all	P8B1938L-W5040	Blunt(L)	19G	38mm 5/0 x 8		40
Braid		Blunt(L)				70



The Advantages of Premium Spring

Premium spring is a product in which the thread is wound tightly around the needle. Since the surface area of the thread that comes into contact with the skin is maximized,



collagen production is also maximized. The spring shape maintains its shape in the skin because the holding force is strong. Premium Spring can be used for tissue restoration and shape support. Collagen is produced both inside and outside the spring. Premium spring stimulates collagen production inside and outside the space after the procedure.





Specification of Premium Spring



Da:all Premium Spring

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
	PSS2160L-W3030	Blunt(L)		60mm	3/0	30
Da:all	PSS2360L-W4030	Blunt(L)		60mm	4/0	30
Premium Spring	PSS2560L-W5030	Blunt(L)		60mm	5/0	30
	PSS2750L-W5020	Blunt(L)		50mm	5/0	20
	PSS2950L-W6020	Blunt(L)	29G	50mm		20



The Advantages of Premium Braid Soft

Premium Braid soft is a product made with 9 or 12 fine threads twisted together by Metabiomed's special technology. Unlike Premium Braid, it is a soft threads that can be applied to curved parts of the face or thin skin. Collagen is formed between twisted threads and volume is formed on the skin.





Specification of Premium Braid Soft




Da:all Premium Braid Soft

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
	P2B2190L-W70100	Blunt(L)	21G	90mm	7/0 x 12	100
	P2B2160L-W7090	Blunt(L)	21G	60mm	7/0 x 12	90
	P2B2160L-W7060	Blunt(L)	21G	60mm	7/0 x 12	60
Da:all Premium Braid soft	P9B2390L-W70160	Blunt(L)	23G	90mm		160
	P9B2390L-W70130	Blunt(L)	23G	90mm		130
	P9B2360L-W7090	Blunt(L)	23G	60mm		90
	P9B2360L-W7060	Blunt(L)	23G	60mm		60






Da:all Premium Braid Soft Blunt(L), 21/23G



Specification of General line



Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
	M2590S-W40140	Sharp	25G	90mm	4/0	140
Da:all	M2760S-W5090	Sharp	27G	60mm 5/0		90
Mono	M2938S-W6050	Sharp	29G	38mm	6/0	50
	M2925S-W6030	Sharp	29G	25mm	6/0	30
	MS2590S-W40140	Sharp	25G	90mm	4/0	140
Da:all	MS2760S-W5090	Sharp	27G	60mm	5/0	90
Mono Screw	MS2938S-W6050		29G			50
	MS2925S-W6030	Sharp	29G	25mm	6/0	30
Da:all	D2660S-W7090	Sharp	26G	60mm	7/0 x 2	90
Double	D2638S-W7060	Sharp	26G	38mm	7/0 x 2	60
Da:all	DS2660S-W7090		26G			90
Double Screw	DS2638S-W7060	Sharp	26G	38mm	7/0 x 2	60

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)
Da:all I - Screw	MS3025U-W7030	Filler Needle	30G	25mm		30

Products Line-up

Da:all Premium Line

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)	Folding	Shape
	CW18100-W3417	Blunt(W)	18G	100mm	3&4	170		
	CA18100-W3420	Blunt(A)	18G	100mm	3&4	200	folding	
	CA18100-W3417	Blunt(A)	18G	100mm	3&4	170	loluling	
Da:all	CA19100-W0120	Blunt(A)	19G	100mm	1	200	folding	-1-
Premium Molding	CA19100-W0116	Blunt(A)	19G	100mm	1	160	loiding	
	ZA18100-W3420	Blunt(A)	18G	100mm	3&4	200	folding	
	ZA18100-W3417	Blunt(A)	18G	100mm	3&4	170	loiding	←
	ZA19100-W0020	Blunt(A)	19G	100mm	0	200	folding	~
	ZA19100-W0016	Blunt(A)	19G	100mm	0	160	1010.119	
	KA18100-W3418	Blunt(A)	18G	100mm	3&4	180	folding	
	KA18100-W3416	Blunt(A)	18G	100mm	3&4	160	lololing	
Da:all	KA19100-W0118	Blunt(A)	19G	100mm	1	180	folding	
Premium Emboss	KA19100-W0116	Blunt(A)	19G	100mm	1	160		
	KL18100-W3418	Blunt(L)	18G	100mm	3&4	180	folding	
	KL19100-W0118	Blunt(L)	19G	100mm	1	180	folding	
	PAW19100-W0020	Blunt(W)	19G	100mm	0	200		2,2,
Da:all Spiral P Cobra	PAA19100-W0020	Blunt(A)	19G	100mm	0	200	folding	
	PAL19100-W0020	Blunt(L)	19G	100mm	0	200		
	PAL2070-W2014	Blunt(L)	20G	70mm	2/0	140		
	AD11B00-W172	Blunt	21G	110mm	0	480		
	AD11B00-W92	Blunt	21G	110mm	0	300		
	AD08B00-W72	Blunt	21G	80mm	0	240		
Da:all	AD16S00-W172	Spatula	21G	160mm	0	480		
Spiral Double arm	AD11S00-W172	Spatula	21G	110mm	0	480		
ouble um	AD11S00-W92	Spatula	21G	110mm	0	300		
	AD08S00-W72	Spatula	21G	80mm	0	240		
	AD11S20-W172	Spatula	22G	110mm	2/0	480		
	P8B1950L-W5070	Blunt(L)	19G	50mm	5/0 x 8	70		
Da:all	P8B1938L-W5040	Blunt(L)	19G	38mm	5/0 x 8	40		
Braid	P6B1950L-W7070	Blunt(L)	19G	50mm	7/0 x 16	70	folding	
	P6B1938L-W7040	Blunt(L)	19G	38mm	7/0 x 16	40		
	PSS2160L-W3030	Blunt(L)	21G	60mm	3/0	30		
Da:all	PSS2360L-W4030	Blunt(L)	23G	60mm	4/0	30		
Premium	PSS2560L-W5030	Blunt(L)	25G	60mm	5/0	30		
Spring	PSS2750L-W5020	Blunt(L)	27G	50mm	5/0	20		
	PSS2950L-W6020	Blunt(L)	29G	50mm	6/0	20		
	P2B2190L-W70100	Blunt(L)	21G	90mm	7/0 x 12	100		
	P2B2160L-W7090	Blunt(L)	21G	60mm	7/0 x 12	90		
Da:all	P2B2160L-W7060	Blunt(L)	21G	60mm	7/0 x 12	60		
Premium	P9B2390L-W70160	Blunt(L)	23G	90mm	7/0 x 9	160	folding	
Braid soft	P9B2390L-W70130	Blunt(L)	23G	90mm	7/0 x 9	130		
	P9B2360L-W7090	Blunt(L)	23G	60mm	7/0 x 9	90		
	P9B2360L-W7060	Blunt(L)	23G	60mm	7/0 x 9	60		

Products Line-up

Da:all Basic Line

Brand Name	Model Number	Needle Type	Needle Gauge	Needle Length	USP	Thread (mm)	Folding	Shape
	M2590S-W40140	Sharp	25G	90mm	4/0	140		
Da:all	M2760S-W5090	Sharp	27G	60mm	5/0	90		
Mono	M2938S-W6050	Sharp	29G	38mm	6/0	50	folding	
	M2925S-W6030	Sharp	29G	25mm	6/0	30		
	MS2590S-W40140	Sharp	25G	90mm	4/0	140		
Da:all	MS2760S-W5090	Sharp	27G	60mm	5/0	90		
Mono Screw	MS2938S-W6050	Sharp	29G	38mm	6/0	50	folding	
	MS2925S-W6030	Sharp	29G	25mm	6/0	30		
Da:all	D2660S-W7090	Sharp	26G	60mm	7/0 x 2	90	folding	محمحم
Double	D2638S-W7060	Sharp	26G	38mm	7/0 x 2	60	folding	
Da:all	DS2660S-W7090	Sharp	26G	60mm	7/0 x 2	90	falalia a	<i>(</i> 20-20-20)
Double Screw	DS2638S-W7060	Sharp	26G	38mm	7/0 x 2	60	folding	
Da:all I–Screw	MS3025U-W7030	Filler Needle	30G	25mm	7/0	30	folding	~~~